

NAME

rcsget – rcs check-out utility

USAGE

rcsget [*options*] [*file-specifications*]

SYNOPSIS

Rcsget is a simple interface to *rcs* (revision control system), which is used to extract files from *rcs* archives.

DESCRIPTION

Rcsget checks out (extracts) files from an *rcs* archive which have been checked in using **rcsput** or **checkin**. **Rcsput** checks in files, retaining their modification date as the check-in date. **Rcsget** extracts a given version of one or more files, and sets their modification date to match the check-in date.

OPTIONS

Rcsget is a directory-recursive interface to the **co** utility which does special things with the file modification date. Most of its options are passed to **checkout** or **co**, and then interpreted to determine the correct modification date. Options special to **rcsget** are:

- a** permits **rcsget** to process directory names beginning with ".".
- d** directs **rcsget** to scan the *rcs* directories to find the list of files which are checked-out. Otherwise, **rcsget** will select only those files which are already checked-out.
- L** directs **rcsget** to follow symbolic links to subdirectories. These are ignored otherwise.
- n** no-op mode directs **rcsget** to show what files would be checked out without actually checking them out.
- R** (same as **-d**) causes **rcsget** to recur through the specified directories.
- Tpath**
specify an alternate pathname for the **checkout** utility. This overrides the default "**checkout**" path.

Rcsget also recognizes (and acts on) the **"-q"** (quiet) and **"-x"** options of **checkout**.

OPERATIONS

To extract files using **rcsget**, you must provide one or more names. They may be either file or directory names.

Rcsget resolves names until it finds one of the form "RCS/*file,v*" before invoking **co**. If it finds a directory (other than "RCS"), **rcsget** will recur to extract files at lower levels.

ENVIRONMENT

Rcsget is written in C, and runs on POSIX systems.

FILES

Rcsget uses the following files:

checkout

a utility which invokes **co** and then modifies the file's modification date so that it matches the version-date selected which was extracted via **co**.

ANTICIPATED CHANGES

None.

SEE ALSO

checkin, checkout, rcsput, ded, co (1)

AUTHOR:

Thomas E. Dickey <dickey@invisible-island.net>